

--28. (Thrice Amended) A method of disclosing the present location of a vehicle, the method comprising the steps of:

performing in-vehicle processing of signals to obtain a fix of vehicle location;

employing a paging request responder to receive a paging request; and,

in response to the paging request, employing a communications device separate from, and for operation independent of, the paging request responder to transmit the fix to a designated service center.

--32. (Thrice Amended) A method of determining the present location of a vehicle, the method comprising the steps of:

initiating a paging request for transmission to a paging request responder mounted in or on the vehicle; and,

in response to the paging request, activating a communications device separate from, and for operation independent of, the paging request responder and mounted in or on the vehicle to transmit a fix of vehicle location.

--33. (Thrice Amended) Apparatus for determining the present location of a vehicle, the apparatus comprising:

means for transmitting a paging request to a paging request responder mounted in or on the vehicle; and

means responsive to the paging request for activating a communications device separate from, and for operation independent of, the paging request responder and mounted in

E2  
Concl.  
or on the vehicle to transmit a fix of a vehicle location.

--50. (New) A method of disclosing the present location of a vehicle, the method comprising the steps of:

E3  
Cont.  
performing in-vehicle processing of signals to obtain a fix of vehicle location;  
employing a noncellular paging request responder to receive a paging request; and,  
in response to the paging request, activating a cellular communications device to  
transmit the fix to a designated service center.

--51. (New) Apparatus for disclosing the present location of a vehicle, the apparatus comprising:

means for performing in-vehicle processing of signals to obtain a fix of vehicle  
location;  
a noncellular paging request responder for receiving a paging request; and  
a cellular communications device responsive to the paging request for transmitting the  
fix to a designated service center.

--52. (New) A method of determining the present location of a vehicle, the method comprising the steps of:

initiating a paging request for transmission to a noncellular paging request responder  
mounted in or on the vehicle; and,  
in response to the paging request, activating a cellular communications device

mounted in or on the vehicle to transmit a fix of vehicle location.

--53. (New) Apparatus for determining the present location of a vehicle, the apparatus comprising:

means for transmitting a paging request to a noncellular paging request responder mounted in or on the vehicle; and

means responsive to the paging request for activating a cellular communications device mounted in or on the vehicle to transmit a fix of vehicle location.

--54. (New) Apparatus for disclosing a present location, the apparatus comprising:

means for processing signals to obtain a fix of location;

a paging request responder for receiving a paging request; and

a communications device separate from, and for operation independent of, the paging request responder and responsive to the paging request for transmitting the fix to a designated service center.

--55. (New) A method of determining a present location, the method comprising the steps of:

initiating a paging request for transmission to a paging request responder; and

in response to the paging request, activating a communications device separate from, and for operation independent of, the paging request responder to transmit a fix of the location.

--56. (New) Apparatus for disclosing a present location, the apparatus comprising:  
means for processing signals to obtain a fix of location;  
a noncellular paging request responder for receiving a paging request; and  
a cellular communications device responsive to the paging request for transmitting the  
fix to a designated service center.

E 3  
Cont.  
--57. (New) A method of determining a present location, the method comprising the  
steps of:  
initiating a paging request for noncellular transmission to a paging request responder;  
and  
in response to the paging request, activating a cellular communications device to  
transmit a fix of the location.

--58. (New) A method of disclosing the present location of a vehicle, the method  
comprising the steps of:  
performing in-vehicle processing of signals to obtain a fix of vehicle location;  
employing a paging request responder to receive a paging request; and,  
in response to the paging request, employing a communications device for operation  
independent of the paging request responder to transmit the fix to a designated service center.

--59. (New) Apparatus for disclosing the present location of a vehicle, the apparatus  
comprising: